

Clinical Excellence Measures

Use of these codes should be appropriate to the service(s) rendered and follow the billing guidelines.

For HEDIS® measures the codes are from the NCQA HEDIS® specifications and may not reflect Medi-Cal/Medicare billing guidelines and reimbursement.

HEDIS® Measure & Description	Medical Record Documentation Needed	Description & Codes
<p>Weight Assessment & Counseling for Nutrition and Physical Activity for Children/Adolescents- (WCC)</p> <p>The percentage of members 3-17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following during the measurement year:</p> <ul style="list-style-type: none"> • BMI Percentile • Counseling for Nutrition • Counseling for Physical Activity 	<p>Specifications:</p> <p>BMI Percentile</p> <ul style="list-style-type: none"> • Documentation MUST include height, weight and BMI percentile during the measurement year, and it must be from the same data source. <ul style="list-style-type: none"> ○ BMI percentile documented as a value (e.g., 85th percentile) ○ BMI percentile plotted on age-growth chart <p>Counseling for Nutrition & Physical Activity</p> <ul style="list-style-type: none"> • Documentation must include a note indicating the date and at least one of the following (one for Nutrition and one for Physical Activity): <ul style="list-style-type: none"> ○ Discussion of current behaviors (e.g., eating habits, dieting behaviors, exercise routine participation in sports activities, etc.). ○ Checklist indicating nutrition/ physical activity was addressed. ○ Counseling or referral for nutrition education/ physical activity. ○ Member received educational material on nutrition/ physical activity during a face-to-face visit. ○ Anticipatory guidance for nutrition/specific to the child’s physical activity. ○ Weight or obesity counseling. 	<p>BMI Percentile</p> <p>Z68.51 – <i>Underweight</i> (Less than the 5th percentile for age)</p> <p>Z68.52 – <i>Healthy Weight</i> (5th percentile to less than the 85th percentile for age)</p> <p>Z68.53 – <i>Overweight</i> (85th percentile to less than the 95th percentile for age)</p> <p>Z68.54 – <i>Obese</i> (Greater to or equal to the 95th percentile)</p> <p>Counseling for Nutrition:</p> <p>CPT: 97802-97804 ICD-10: Z71.3</p> <p>Counseling for Physical Activity:</p> <p>ICD-10: Z02.5, Z71.82</p>

Quick Reference Guide – Clinical Excellence 2021

HEDIS® Measure & Description	Medical Record Documentation Needed	Description	Codes
Chlamydia Screening (CHL) Women 16-24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement year.	Specifications: <ul style="list-style-type: none"> Documentation in the medical record must include both of the following: <ul style="list-style-type: none"> A note indicating the date the test was performed The result or finding Members identified as sexually active: <ul style="list-style-type: none"> Pregnancy Contraceptive prescribed STI Screening Pregnancy Test Completed 	Chlamydia Screening	87110*, 87270, 87320, 87490-87492, 87810 *Additional reimbursement of \$8.10
HEDIS® Measure & Description	Medical Record Documentation Needed	Category	Medication
Asthma Medication Ration (AMR) Members 5-64 years of age identified as having persistent asthma and a ratio of controller medications to total asthma medications of 50% or greater during the measurement year.	Criteria for Persistent Asthma: At least one (1) of the criteria below must be met during the measurement year and the year prior (the criteria does not need to be the same for both years): <ul style="list-style-type: none"> At least one (1) ED visit with asthma as the principal diagnosis OR At least one (1) acute Inpatient encounter or discharge with asthma as the principal diagnosis OR At least four (4) outpatient visits or observation visits, telephone visits or e-visits or virtual check-ins on different dates of service, with any diagnosis of asthma and at least two (2) asthma medication dispensing events. Visit type need not be the same for the four (4) visits OR At least four (4) asthma medication dispensing events for any controller or reliever medication. 	Antiasthmatic Combinations	<ul style="list-style-type: none"> Dyphylline-guaifenesin
		Antibody Inhibitor	<ul style="list-style-type: none"> Omalizumab
		Anti-interleukin-4	<ul style="list-style-type: none"> Dupilumab
		Anti-interleukin-5	<ul style="list-style-type: none"> Benralizumab Mepolizumab Reslizumab
		Inhaled Steroid Combinations	<ul style="list-style-type: none"> Budesonide-formoterol Fluticasone-salmeterol Fluticasone-vilanterol Formoterol-mometasone
		Inhaled Corticosteroids	<ul style="list-style-type: none"> Beclomethasone Budesonide Ciclesonide Flunisolide Fluticasone Mometasone
		Leukotriene Modifiers	<ul style="list-style-type: none"> Montelukast Zafirlukast Zileuton
Methylxanthines	<ul style="list-style-type: none"> Theophylline 		

Quick Reference Guide – Clinical Excellence 2021

HEDIS® Measure & Description	Medical Record Documentation Needed	CPT Codes	ICD-10 Codes
<p>Well-Child Visits First 30 Months of Life (W15)/(W30)</p> <p>Part I: Children who turned 15 months old during the measurement year and who had at least 6 well child visits with a PCP prior to turning 15 months.</p> <p>Part II: Children 15 months-30 months old during the measurement year and who had at least 2 well child visits with a PCP.</p>	<p>Specifications: Documentation from the medical record must include a note indicating a visit with a PCP or OB/GYN, the date when the well-care visit occurred, and evidence of all of the following:</p> <ul style="list-style-type: none"> • Health history (allergies, birth hx, family hx, status since last visit, hospitalizations). • Physical developmental history (diet, physical fitness, school activities, sexual activity/pelvic exam, growth chart). • Mental developmental history (peer relationships, sexual activity, school grades, decision making). 	<p>99381-99385, 99391-99395, 99461</p>	<p>Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2, Z00.3, Z02.5, Z76.1, Z76.2</p>
<p>Well-Child Visits 3-21 Years of Age (WCV)</p> <p>Well Child Visits 3-6 Years of Age (W34)</p> <p>Adolescent Well-Care Visits (12-21) (AWC)</p> <p>Children 3-21 years of age who had at least one (1) well-care visit with a Primary Care Provider (PCP) or OB/GYN during the measurement year.</p>	<ul style="list-style-type: none"> • Physical exam (vital signs and review of systems). • Health education/anticipatory guidance (completed Staying Healthy Assessment, seat belt and helmet use, diet, exercise, smoking, drug use, health habits, self-care, etc.). 		

Quick Reference Guide – Clinical Excellence 2021

HEDIS® Measure & Description	Medical Record Documentation Needed	Immunization	Codes
<p>Immunizations for Adolescents (IMA)</p> <p>Adolescents 13 years of age who received the following vaccines on or before their 13th birthday:</p> <ul style="list-style-type: none"> • 1 Meningococcal Vaccine (must be completed on or between the 11th and 13th birthdays) • 1 Tdap (must be completed on or between the 10th and 13th birthdays) • 2 or 3 Doses of Human Papillomavirus Vaccine (entire series completed between the 9th and 13th birthdays) 	<p>Specifications:</p> <p>For immunization evidence obtained from the medical record, count members where there is evidence that the antigen was rendered from either of the following:</p> <ul style="list-style-type: none"> • A note indicating the name of the specific antigen and the date of service, <i>or</i> • A certificate of immunization prepared by an authorized health care provider or agency including the specific dates and types of immunizations administered. <p>Meningococcal conjugate or meningococcal polysaccharide vaccine <u>on or between the 11th and 13th birthdays.</u></p> <p>Tdap <u>on or between the 10th and 13th birthdays.</u></p> <p>At least two HPV vaccines, with different dates of service <u>on or between the member's 9th and 13th birthdays.</u> There must be at least 146 days between the first and second dose of the HPV vaccine.</p> <p>At least three HPV vaccinations, with different dates of service, <u>on or between the member's 9th and 13th birthdays.</u></p>	<p>Meningococcal</p>	<p>90734</p>
		<p>Tdap</p>	<p>90715</p>
		<p>Human Papillomavirus (HPV)</p>	<p>90649, 90650, 90651</p>

Quick Reference Guide – Clinical Excellence 2021

HEDIS® Measure & Description	Medical Record Documentation Needed	Immunization	Codes										
<p>Childhood Immunization Status – Combo 10 (CIS)</p> <p>Children 2 years of age who had the following vaccines on or before their second birthday:</p> <table border="1" data-bbox="111 435 636 933"> <tr> <td>4 DTaP (diphtheria, tetanus and acellular pertussis)</td> <td>3 HiB (H influenza type B)</td> </tr> <tr> <td>3 IPV (polio)</td> <td>4 PCV (pneumococcal conjugate)</td> </tr> <tr> <td>1 MMR (measles, mumps, rubella)</td> <td>1 Hep A (hepatitis A)</td> </tr> <tr> <td>1 VZV (chicken pox)</td> <td>2 or 3 RV (rotavirus)</td> </tr> <tr> <td>3 Hep B (hepatitis B)</td> <td>2 Flu (influenza)</td> </tr> </table> <p>All vaccines must be completed on or before the child's 2nd birthday.</p>	4 DTaP (diphtheria, tetanus and acellular pertussis)	3 HiB (H influenza type B)	3 IPV (polio)	4 PCV (pneumococcal conjugate)	1 MMR (measles, mumps, rubella)	1 Hep A (hepatitis A)	1 VZV (chicken pox)	2 or 3 RV (rotavirus)	3 Hep B (hepatitis B)	2 Flu (influenza)	<p>Specifications:</p> <p>For MMR, Hepatitis B, VZV & Hepatitis A, count any of the following</p> <ul style="list-style-type: none"> Evidence of the antigen or combination vaccine, OR Documented history of the illness, OR A seropositive test result for each antigen <p>For DTaP, IPV, HiB, Pneumococcal conjugate, Rotavirus & Influenza, count only the following.</p> <ul style="list-style-type: none"> Evidence of the antigen or combination vaccine. <p>For combination vaccinations that require more than one antigen (i.e. DTaP and MMR), there must be evidence of all the antigens.</p> <p>DTaP*: At least four (4) DTaP vaccinations, with different dates of service.</p> <p>IPV*: At least three (3) IPV vaccinations, with different dates of service.</p> <p>MMR^: At least one (1) MMR vaccination, with a date of service falling on or before the child's second (2nd) birthday.</p> <p>HiB*: At least three (3) HiB vaccinations, with different dates of service.</p> <p>Hepatitis B: At least three (3) hepatitis B vaccinations, with different dates of service.</p> <p>VZV^: At least one (1) VZV vaccination, with a date of service falling on or before the child's second (2nd) birthday.</p> <p>Pneumococcal Conjugate*: At least four (4) pneumococcal conjugate vaccinations, with different dates of service.</p> <p>Hepatitis A: One (1) hepatitis A vaccination, with a date of service falling on or before the child's second (2nd) birthday.</p> <p>Rotavirus*: The child must receive the required number of rotavirus two (2) doses or three (3) doses, depending on which vaccine is administered), with different dates of service.</p> <p>Influenza+: Two (2) influenza vaccinations, with different dates of service.</p> <p><i>*Vaccines administered prior to 42 days after birth will not count.</i> <i>^ Vaccines administered prior to child's first birthday will not count.</i> <i>+Vaccines administered prior to 6 months (180 days) after birth will not count.</i></p>	<p>DTaP</p> <p>IPV</p> <p>MMR</p> <p>HiB</p> <p>Hepatitis B</p> <p>VZV</p> <p>Pneumococcal Conjugate</p> <p>Hepatitis A</p> <p>Rotavirus (2-3 dose schedules)</p> <p>Influenza</p>	<p>90698, 90700, 90723</p> <p>90698, 90713, 90723</p> <p>90707, 90710</p> <p>90644, 90647, 90648, 90698, 90748</p> <p>90723, 90740, 90744, 90747, 90748</p> <p>90710, 90716</p> <p>90670</p> <p>90633</p> <p>90681 (2 dose schedule) 90680 (3 dose schedule)</p> <p>90655, 90657, 90661, 90673, 90685-90689, 90660, 90672</p>
4 DTaP (diphtheria, tetanus and acellular pertussis)	3 HiB (H influenza type B)												
3 IPV (polio)	4 PCV (pneumococcal conjugate)												
1 MMR (measles, mumps, rubella)	1 Hep A (hepatitis A)												
1 VZV (chicken pox)	2 or 3 RV (rotavirus)												
3 Hep B (hepatitis B)	2 Flu (influenza)												

Quick Reference Guide – Clinical Excellence 2021

Measure & Description	Medical Record Documentation Needed	CPT Codes or Diagnosis Codes
		IHA Visit Codes (Part I)
<p>Initial Health Assessment (IHA)</p> <p>Individuals newborn to 20 years of age who completed an initial health assessment within 120 days of the member’s effective date with CalOptima and includes the following:</p> <p>Part I</p> <ul style="list-style-type: none"> • Comprehensive history • Preventive services • Comprehensive physical and mental status exam • Diagnosis and plan of care <p>Part II</p> <ul style="list-style-type: none"> • Individual Health Education Behavioral Assessment (IHEBA) or Staying Health Assessment (SHA) 	<p>Specifications:</p> <p>Documentation from the medical record must include a note indicating a visit with a PCP, the date when the initial health assessment occurred, and evidence of all of the following:</p> <ul style="list-style-type: none"> • Comprehensive history, which includes history of present illness, past medical history, social history and review of organ systems • Preventive services • Comprehensive physical and mental status exam • Diagnosis and plan of care • Individual Health Education Behavioral (IHEBA) or Staying Healthy Assessment (SHA) 	99201-99205, 99211-99215, 99241-99245, 99304-99306, 99326-99328, 99341-99345, 99348-99350, 99381-99384, 99391-99394, 99406, 99407, 99461 Z00.00, Z00.01, Z00.121, Z00.129, Z00.8, Z02.89, Z02.1, Z02.3
		IHEBA/SHA Codes (Part II)
		96156
HEDIS® Measure & Description	Medical Record Documentation Needed	CPT Codes
<p>Lead Screening (LSC)</p> <p>Children 2 years of age who had one or more capillary or venous lead blood test for lead poisoning on or before their second birthday.</p>	<p>Specifications:</p> <p>Documentation from the medical record must include both of the following:</p> <ul style="list-style-type: none"> • A note indicating the date the test was performed • The result or finding 	83655